



TECHNICAL DATASHEET

Product Name	SKOROIL ATF TYPE IV
Preparation Date	16.06.2023
Revision Date	-
TDS No	
Page Setup	1

1. Product Name and Company Introduction

Product Name: SKOROIL ATF TYPE T-IV

Manufacturer: Skor Petrokimya Urunleri Sanayi ve Ticaret A.S.

Address: Aydınlı KOSB Mah. Kristal Cad. NO:18 İstanbul/TURKEY

Tel: 0 (216) 504-0508

Web: www.skoroil.com

E-mail: info@skoroil.com

2. Typical Features

SKOROIL ATF TYPE T-4 is a fully synthetic Automatic Transmission Oil based on carefully selected very high quality base oils specially designed for Toyota, Nissan, Honda, Mitsubishi, compatible with both normal and slip automatic transmissions.

Properties;

- It provides the performance needed in all conditions perfectly and minimizes friction and provides excellent protection against wear.
- Advanced additives protect against corrosion, oxidation, foaming and deposits.
- Minimizes friction in wide operating temperature ranges and ensures excellent operation in gear changes, prevents vibration.;

Approval and Specifications;

- Toyota/Lexus/Scion Type D-II, Type T, T-III, T-IV, Volkswagen/Audi G 052 025 A2/ G 052 055/ G 052 162 (-A1, -A2)/ G 052 533/ G 052 990 (A2)/ G 055 025 (A2)/ G US 000 162, Mitsubishi ATF-J2, SP, P/N MS991156 SP-II, SP-III BMW/MINI P/N 81229400272/2750 83220024359, 83220026922, 83220402413, 83220403248, 83220403249, 83227542290, 83229407765, 83229407807, Hyundai/KIA SP-II, SP-III, P/N 040000C90SG, UM040 CH2O Red1, Nissan/Infinity 402, Matic-D/-J/-K/-W, Mercedes/Daimler MB 236.10/11/3/5/6/7/8/9/9.1, Mazda F-1, Type T-IV,

Viscosity Class		SKOROIL ATF TYPE T-IV
Density 15 °C g/ml	ASTM D-4052	Max.0.870
Flash Point COC, °C	ASTM D-92	Min.200
Kinematic Viscosity mm ² /s at 100°C	ASTM D-445	6.5-9.0
Viscosity Index	ASTM D-2270	Min.145
Pour Point, °C	ASTMD D-97	Max.-42

* Values may vary from production to production.